

# SAFELINK FESTOONING SYSTEMS

Changing The Way You Think About Mobile Electrification

## **TYPE- KRD 40 SERIES**

### **➤ Introduction**

The festoon system is the traditional system for the energy transmission for various type of handling equipment. They are used to manage cables and hoses which provide power or necessary gaseous/liquid media to moveable machinery.

Line 40 is made of a "C" rail bar fixed along the crane movement line. The single cable is supported by trolley that slides inside the "C" rail bar.

Is offer a complete selection of items and accessories to customize them according to the customer needs.

Line 40 Characteristics are :

# Bar Height : 40mm

# Load Capacity : 150kg/m

### **➤ Application**

# Cranes & Hoist

# Monorails

# Automated Storage System

# Transfer Car

# Quenching / Pusher Car For Coke Oven

### **➤ How you can use our festooning systems**

# Slaughter house

# Sawmill

# Mines

# Industries

# Washing facilities

# Green House

# Harbours

# Theater, Photostudios

# Water Treatment Facility









# Auto Workshop

# Fire Station

**(40 Series) C-Rail Festooning Systems KR D Type**



Part No.	Description	Products	Dimensions
KRD- 401	<p># C- Rail Bar</p> <hr/> <p># Material - Galvanized Steel</p> <hr/> <p># Length - 4Mtr.</p> <hr/> <p># Weight - 8Kg.</p>		
KRD-402	<p># Joint</p> <hr/> <p># Material - Galvanized Steel</p> <hr/> <p># Length - 120Mm.</p>		
KRD-403	<p># HangerClamp</p> <hr/> <p># Material - Galvanized Steel</p> <hr/> <p># Max Support Spacing - 1.5Mtr.</p>		
KRD-404	<p># EndStop</p> <hr/> <p># Material - PA6</p>		

<p><b>KRD-406</b></p>	<p># Towing Trolley</p> <hr/> <p># Material - Galvanized Steel</p> <hr/> <p># Type of Roller - Steel Roller With Ball Bearing Wheel</p> <hr/> <p># 68MM Steel Saddle</p>		
<p><b>KRD-407</b></p>	<p># Trolley with Safety plug and socket connection</p> <hr/> <p># To connect the festooning systems with pendent station</p> <hr/> <p># Material - Galvanized Steel</p> <hr/> <p># 68MM Steel Saddle</p>		
<p><b>KRD-408</b></p>	<p># Moving Trolley</p> <hr/> <p># Material - Galvanized Steel</p> <hr/> <p># Type of Roller - Steel Roller With Ball Bearing Wheel</p> <hr/> <p># 68MM Steel Saddle</p>		
<p><b>KRD-409</b></p>	<p># Fixed Trolley</p> <hr/> <p># Material - Galvanized Steel</p> <hr/> <p># 68MM Steel Saddle</p>		

Company Details :-

## Anand Systems Engineering Pvt. Ltd.

116 Acharya Industrial Estate | Tejpal  
 Compound Andheri Kurla Road | Sakinaka  
 Mumbai – 400072.  
 Tel. 022- 28516819  
 Email. [info@anandcontrol.in](mailto:info@anandcontrol.in)  
 Web. [www.anandcontrol.in](http://www.anandcontrol.in)

